

Good. Safe. Yellow.

Klingspor diamond cup grinding
wheel for angle grinders

DS 600 A



DS 600 A



Properties

Quality	Supra
Design	Brazed
Segmentation	Standard
Aggression	■ ■ ■ ■ ■ □ □
Service life	■ ■ ■ ■ ■ ■ □
Max. operating speed	80 m/s

Applications

Material	<ul style="list-style-type: none">▶ Asphalt▶ Abrasive materials▶ Green concrete▶ Aerated concrete▶ Sandstone
Market segment	<ul style="list-style-type: none">▶ Building construction and civil engineering▶ Road construction▶ Distributors▶ End users
Machines	<ul style="list-style-type: none">▶ Angle grinder

Advantages

- ▶ An ideal match with all types of abrasive materials
- ▶ Outstanding grinding performance combined with a long service life
- ▶ Fast and smooth grinding of surfaces thanks to doublerow segments
- ▶ Extended service life thanks to optimized matrix and diamonds
- ▶ Simple dust extraction through openings in the steel enclosure
- ▶ M14 Adapter available, see DZ 114

Products

Diameter x Bore in mm	Max. operating speed	Max. RPM	Machine	Segment in mm Number / Length / Width / Height	Cat. number
100 x 16/22,23	80 m/s	15,300	Angle grinder	14 / 8,2 / 5,5	331026
115 x 22,23	80 m/s	13,300	Angle grinder	14 / 8,2 / 5,5	331027
125 x 22,23	80 m/s	12,200	Angle grinder	18 / 7,2 / 5	331028
180 x 22,23	80 m/s	8,500	Angle grinder	22 / 7,8 / 5,3	331029

Klingspor Schleifsysteme

GmbH & Co. KG

Hüttenstraße 36

35708 Haiger

Germany

Fon +49 (0) 2773 922-0

Fax +49 (0) 2773 922-186

Mail sales@klingspor.de

www.klingspor.de

