


Good. Safe. Yellow.

Klingspor diamond cup grinding
wheel for angle grinders

DS 600 S



DS 600 S



Properties

Quality	Supra
Design	Brazed
Segmentation	Standard
Aggression	■ ■ ■ ■ ■ □ □
Service life	■ ■ ■ ■ ■ ■ □
Max. operating speed	80 m/s

Applications

Material	<ul style="list-style-type: none">▶ Concrete▶ Firebrick▶ Natural stone▶ Masonry▶ Brickwork
Market segment	<ul style="list-style-type: none">▶ Building construction and civil engineering▶ Road construction▶ Distributors▶ End users
Machines	<ul style="list-style-type: none">▶ Angle grinder

Advantages

- ▶ Excellent dust extraction thanks to specially designed (fan-shaped) opening
- ▶ Low weight thanks to lightweight steel plate
- ▶ Rugged performance and operation with minimum vibrations
- ▶ M14 Adapter available, see DZ 114

Products

Diameter x Bore in mm	Max. operating speed	Max. RPM	Machine	Segment in mm Number / Length / Width / Height	Cat. number
100 x 16/22,23	80 m/s	15,300	Angle grinder	16 / 7,2 / 5,5	331022
115 x 22,23	80 m/s	13,300	Angle grinder	16 / 7,2 / 5,5	331023
125 x 22,23	80 m/s	12,200	Angle grinder	16 / 7,2 / 5,5	331024
180 x 22,23	80 m/s	8,500	Angle grinder	24 / 7,8 / 5,5	331025

**Klingspor Schleifsysteme
GmbH & Co. KG**

Hüttenstraße 36

35708 Haiger

Germany

Fon +49 (0) 2773 922-0

Fax +49 (0) 2773 922-186

Mail sales@klingspor.de

www.klingspor.de

