

New. Improved. Yellow.

Klingspor diamond cutting blades
for tiles

DT 300 F



DT 300 F



Properties

Quality	Extra
Design	Sintered
Segmentation	Continuous rim
Aggression	■ ■ ■ ■ □ □ □ □
Service life	■ ■ ■ □ □ □ □ □
Max. operating speed	80 m/s

Applications

Material	▶ Tiles ▶ Stove tiles
Market segment	▶ Tilers ▶ Distributors ▶ End user
Machines	▶ Angle grinder, table saw

Advantages

- ▶ Standard tool for clean and nick-free edges
- ▶ Good price-performance ratio
- ▶ Reduced bore 25.4/30 for table saws

Products

Diameter x Bore in mm	Max. operating speed	Max. RPM	Machine	Segment in mm Number / Length / Width / Height	Cat. number
100 x 16/22,23	80 m/s	15,300	Angle grinder	CR / CR / 1,6 / 7	330623
115 x 22,23	80 m/s	13,300	Angle grinder	CR / CR / 1,6 / 7	325357
125 x 22,23	80 m/s	12,200	Angle grinder	CR / CR / 1,6 / 7	325358
180 x 22,23	80 m/s	8,500	Angle grinder	CR / CR / 1,6 / 7	325359
200 x 25,4/30	80 m/s	7,600	Table saw	CR / CR / 1,9 / 7	325454
230 x 22,23	80 m/s	6,600	Angle grinder	CR / CR / 1,6 / 7	325360

**Klingspor Schleifsysteme
GmbH & Co. KG**

Hüttenstraße 36

35708 Haiger

Germany

Fon +49 (0) 2773 922-0

Fax +49 (0) 2773 922-186

Mail sales@klingspor.de

www.klingspor.de

