

New. Improved. Yellow.

Klingspor diamond cutting blades
for tiles

DT 600 F



DT 600 F



Properties

Quality	Supra
Design	Sintered
Segmentation	Continuous rim
Aggression	■ ■ ■ ■ □ □ □ □
Service life	■ ■ ■ ■ □ □ □ □
Max. operating speed	80 m/s, 100 m/s

Applications

Material	<ul style="list-style-type: none">▶ Stoneware▶ Stove tiles▶ Stove tiles, glazed
Market segment	<ul style="list-style-type: none">▶ Tilers▶ Distributors▶ End user
Machines	<ul style="list-style-type: none">▶ Angle grinder, table saw

Advantages

- ▶ Professional wheel for tiles and feldspar
- ▶ For high-precision working
- ▶ Short cutting off times
- ▶ Clean edges
- ▶ Reduced bore 25,4/30 for table saws

Products

Diameter x Bore in mm	Max. operating speed	Max. RPM	Machine	Segment in mm Number / Length / Width / Height	Cat. number
100 x 16/22,23	80 m/s	15,300	Angle grinder	CR / CR / 1,6 / 7	330624
115 x 22,23	80 m/s	13,300	Angle grinder	CR / CR / 1,6 / 7	325368
125 x 22,23	80 m/s	12,200	Angle grinder	CR / CR / 1,6 / 7	325369
150 x 22,23	80 m/s	10,200	Angle grinder	CR / CR / 1,6 / 7	325370
180 x 22,23	80 m/s	8,500	Angle grinder	CR / CR / 1,6 / 7	325371
180 x 25,4/30	80 m/s	8,500	Table saw	CR / CR / 1,6 / 7	325455
200 x 25,4/30	80 m/s	7,600	Table saw	CR / CR / 1,9 / 7	325373
230 x 22,23	80 m/s	6,600	Angle grinder	CR / CR / 1,6 / 7	325372
250 x 25,4/30	80 m/s	6,100	Table saw	CR / CR / 1,9 / 7	325374
300 x 25,4/30	100 m/s	6,400	Table saw	CR / CR / 2 / 7	325375
350 x 25,4/30	100 m/s	5,500	Table saw	CR / CR / 2 / 7	325376

**Klingspor Schleifsysteme
GmbH & Co. KG**

Hüttenstraße 36

35708 Haiger

Germany

Fon +49 (0) 2773 922-0

Fax +49 (0) 2773 922-186

Mail sales@klingspor.de

www.klingspor.de

