

New. Improved. Yellow.

Klingspor diamond cutting blades
for asphalt

DT 602 A



DT 602 A



► Protective segments

Properties

Quality	Supra
Design	Laser welded
Segmentation	Wide gullet
Aggression	■ ■ ■ ■ ■ □ □
Service life	■ ■ ■ ■ □ □ □
Max. operating speed	100 m/s

Applications

Material	► Asphalt ► Sandstone
Market segment	► Building construction and civil engineering ► Road construction
Machines	► Petrol powered cutter, joint cutter

Advantages

- First-rate cutting performance
- Protective segments to guard the blade
- Great price-performance ratio
- Specially engineered for applications on asphalt
- Also suitable for use on electric joint cutters

Products

Diameter x Bore in mm	Max. operating speed	Max. RPM	Machine	Segment in mm Number / Length / Width / Height	Cat. number
300 x 20	100 m/s	6.400	Joint cutter Petrol powered cutter	18 / 40 / 2,8 / 10	327025
300 x 25,4	100 m/s	6.400	Joint cutter Petrol powered cutter	18 / 40 / 2,8 / 10	325060
350 x 20	100 m/s	5.500	Joint cutter Petrol powered cutter	21 / 40 / 3,2 / 10	327026
350 x 25,4	100 m/s	5.500	Joint cutter Petrol powered cutter	21 / 40 / 3,2 / 10	325092
400 x 20	100 m/s	4.800	Joint cutter Petrol powered cutter	24 / 40 / 3,4 / 10	327027
400 x 25,4	100 m/s	4.800	Joint cutter Petrol powered cutter	24 / 40 / 3,4 / 10	325124
450 x 25,4	100 m/s	4.300	Joint cutter Petrol powered cutter	25 / 40 / 3,7 / 10	325128
500 x 25,4	100 m/s	3.900	Joint cutter Petrol powered cutter	30 / 40 / 3,7 / 10	325171

**Klingspor Schleifsysteme
GmbH & Co. KG**

Hüttenstraße 36

35708 Haiger

Germany

Fon +49 (0) 2773 922-0

Fax +49 (0) 2773 922-186

Mail sales@klingspor.de

www.klingspor.de

