

New. Improved. Yellow.

Diamond cutting blades for angle
grinders

DT 900 UT

Klingspor Schleifsysteme GmbH & Co. KG

Hüttenstraße 36 · 35708 Haiger · Germany

Fon +49 (0) 2773 922-0 · Fax +49 (0) 2773 922-280

verkauf@klingspor.de · www.klingspor.de





DT 900 UT



► Wave-shaped core

Structure

Quality	Special
Design	Sintered
Segmentation	Turbo continuous rim
Aggression	■■■■■■■□
Service life	■■■■■■□□
Max. operation speed	80 m/s

Applications

Material	<ul style="list-style-type: none"> ► Concrete, universal ► Roof tiles ► Construction materials
Market segments	<ul style="list-style-type: none"> ► Installers ► Electricians ► Roof construction
Machines	<ul style="list-style-type: none"> ► Angle grinder

Product utility

- Wave-shaped steel core
- Use on construction material
- Clean cutting edges
- High aggressiveness

Executions

Diameter x Bore in mm	Max. operating speed	Max. RPM	Machine	Segment in mm Number / Length / Width / Height	Cat. number
115 x 22,23	80 m/s	13.300 rpm	Angle grinder	CR / CR / 2,2 / 10	325364
125 x 22,23	80 m/s	12.200 rpm	Angle grinder	CR / CR / 2,2 / 10	325365
180 x 22,23	80 m/s	8.500 rpm	Angle grinder	CR / CR / 2,5 / 10	325366
230 x 22,23	80 m/s	6.600 rpm	Angle grinder	CR / CR / 2,5 / 10	325367

**Klingspor Schleifsysteme
GmbH & Co. KG**

Hüttenstraße 36

35708 Haiger

Deutschland

Fon +49 (0) 2773 922-0

Fax +49 (0) 2773 922-280

Mail verkauf@klingspor.de

www.klingspor.de

