

Good. Safe. Yellow.

Cleaning wheel

NCD 200



Klingspor Schleifsysteme GmbH & Co. KG
Hüttenstraße 36 · 35708 Haiger · Germany
Fon +49 (0) 2773 922-0 · Fax +49 (0) 2773 922-186
sales@klingspor.de · www.klingspor.de



NCD 200



Properties

Grain	Silicon carbide
Backing agent	Resin
Design	Flat

Applications



Recommended material	Metals, paint/varnish/filler, plastic, stainless steel
Machines	Angle grinder

Market segment

- ▶ Distributors
- ▶ End user

Advantages

- ▶ Special SiC non-woven web for cleaning of surfaces and removal of heat tinting/blueing
- ▶ No clogging due to open structure
- ▶ For the removal of paint and rust

Diameter x Bore in mm	Form	Max. operating speed	Max. RPM	Cat. number.
115 x 22,23		63 m/s	10,450	259043
115 x 22,23		63 m/s	9,600	259044

**Klingspor Schleifsysteme
GmbH & Co. KG**

Hüttenstraße 36

35708 Haiger

Deutschland

Fon +49 (0) 2773 922-0

Fax +49 (0) 2773 922-280

Mail verkauf@klingspor.de

www.klingspor.de

