

Good. Safe. Yellow.

High Performance non-woven web wheel

NUD 500



Klingspor Schleifsysteme GmbH & Co. KG
Hüttenstraße 36 · 35708 Haiger · Germany
Fon +49 (0) 2773 922-0 · Fax +49 (0) 2773 922-186
sales@klingspor.de · www.klingspor.de



NUD 500



Properties

Grain	Silicon carbide
Characteristic	Multiple compressed layers of nylon fibre non woven material

Applications

Recommended material	Alloyed steel, high alloy steel, NF metals, light metals, Chrome and nickel steel, steel, titanium
Application	Surface finishing, deburring, removal of TIG weld seams
Machines	Angle grinder

Market segment

- ▶ Stainless steel processing industry
- ▶ Plant, tank and container construction
- ▶ Aerospace industry
- ▶ Food industry
- ▶ Metal refining and restoration companies
- ▶ Chemical/ pharmaceutical industry

Advantages

- For cleaning and pre-polishing surfaces
- For smoothing weld seams
- Fewer work steps
- Precise cleaning, clearing and finishing of surfaces
- Achieves an ultra-low scratch depth on the processed material

Diameter x Width x Bore in mm	Grade	Colour	Max. operating speed	Max. RPM	Cat. number
115 x 13 x 22,23	coarse	grey	63 m/s	10450 rpm	337864
115 x 13 x 22,23	medium	grey	63 m/s	10450 rpm	337865
115 x 13 x 22,23	very fine	grey	63 m/s	10450 rpm	337866
125 x 13 x 22,23	coarse	grey	63 m/s	9600 rpm	337861
125 x 13 x 22,23	medium	grey	63 m/s	9600 rpm	337862
125 x 13 x 22,23	very fine	grey	63 m/s	9600 rpm	337863