Abrasive cloth

LS 309 XH





Properties

Bonding agent	Resin Resin
Grain	Alum <mark>inium oxide</mark>
Coating	Close
Backing	X-co <mark>tton</mark>

Product benefit

Special type for portable belt sanders - For universal use on wood, metal, paint and varnish - Large product mix of belts for all sanding machines

Application

Wood	•
Metals	•
NF metals	•
Paint/Varnish/Filler	•

Applications

- ► Metal construction
- ► Wood processing industry

Available grits:


16 24	1 30	36	40	50	60	80	100	120	150	180		240							1500	2000 2500 30	00
	Width	x Le	ngth				grain		type	of joi	nt			typ	e of co	at.abra	ıs.			Article number	
	3	x 18					40			glued rlapped	l				LS 309	9 XH				37269	
	3	x 18					60			glued rlapped	ı				LS 309	9 XH				38825	
	3	x 18					80			glued rlapped	I				LS 309	9 XH				40345	
	3	x 18					100			glued rlapped	ı				LS 309	9 XH				41560	

Klingspor Schleifsysteme GmbH und Co. KG

Hüttenstraße 36 - 35708 Haiger - Germany Fon + 49 (0) 2773 922-0 Fax + 49 (0) 2773 922-186 sales@klingspor.de - www.klingspor.de



Width x Length	grain	type of joint	type of coat.abras.	Article number
3 x 18	120	F5 glued overlapped	LS 309 XH	42627
3 x 18	150	F5 glued overlapped	LS 309 XH	43020
3 x 21	40	F5 glued overlapped	LS 309 XH	4137
3 x 21	50	F5 glued overlapped	LS 309 XH	4138
3 x 21	60	F5 glued overlapped	LS 309 XH	4139
3 x 21	80	F5 glued overlapped	LS 309 XH	4140
3 x 21	100	F5 glued overlapped	LS 309 XH	4141
3 x 21	120	F5 glued overlapped	LS 309 XH	4142
3 x 21	150	F5 glued overlapped	LS 309 XH	4143
3 x 21	180	F5 glued overlapped	LS 309 XH	4144
3 x 21	240	F5 glued overlapped	LS 309 XH	43614
3 x 24	40	F5 glued overlapped	LS 309 XH	37285
3 x 24	50	F5 glued overlapped	LS 309 XH	230923
3 x 24	60	F5 glued overlapped	LS 309 XH	38842
3 x 24	80	F5 glued overlapped	LS 309 XH	40365
3 x 24	100	F5 glued overlapped	LS 309 XH	41576
3 x 24	120	F5 glued overlapped	LS 309 XH	42642
3 x 24	150	F5 glued overlapped	LS 309 XH	326488
3 x 24	180	F5 glued overlapped	LS 309 XH	326489
4 x 24	40	F5 glued overlapped	LS 309 XH	4478
4 x 24	50	F5 glued overlapped	LS 309 XH	4479
4 x 24	60	F5 glued overlapped	LS 309 XH	4480



Klingspor Schleifsysteme GmbH und Co. KG Hüttenstraße 36 - 35708 Haiger - Germany Fon + 49 (0) 2773 922-0 Fax + 49 (0) 2773 922-186 sales@klingspor.de - www.klingspor.de



Width x Length	grain	type of joint	type of coat.abras.	Article number
4 x 24	80	F5 gl <mark>ued</mark> ove <mark>rlapped</mark>	LS 309 XH	4481
4 x 24	100	F5 glued overlapped	LS 309 XH	4482
4 x 24	120	F5 glued overlapped	LS 309 XH	4483
4 x 24	150	F5 glued overlapped	LS 309 XH	4484
4 x 24	180	F5 glued overlapped	LS 309 XH	43302

