

TWINTIER™

RB441T



**DOUBLE THE SPEED
DOUBLE THE TIES**

MAX



BENEFITS

DOUBLE THE SPEED

The TwinTier's **Dual Wire Feeding Mechanism** (Pat. Pending) increases productivity

COST SAVINGS

The TwinTier's **Wire Pull-Back Mechanism** dispenses the precise amount of wire needed to form a tie, reducing wire usage

SHORTER TIE HEIGHT

The TwinTier's **Wire Bending Mechanism** (Pat. Pending) produces a shorter tie height. Less concrete is needed to fully cover a wire tie.

HEALTH BENEFITS

Use of the TwinTier reduces the risk of developing carpal tunnel syndrome and other muscular skeletal disorders.

SPECIFICATIONS

Weight	5.6 lbs.
Height	11 1/2"
Width	4 3/4"
Length	13"
Tying Speed	Approx. 1/2 Sec.
Applicable Rebar Sizes	#3x#3 to #7x#7
Applicable Wire	TW1061T
Wire Diameter	19 ga.
Ties per coil	Approx. 145 to 265
Ties per charge	Approx. 4000
Coils per box	30
Battery	JPL91440A
Voltage	DC 14.4V
Recharge Time	Approx. 40 minutes
Standard Equipment Includes	Battery, charger, belt-hook and plastic carrying case

TIE WIRE

TW1061T
Regular Steel
Wire

TW1061T-EG
Electro. Gav.
Wire

TW1061T-PC
Polyester Coated
Wire



FEATURES



1 BIG JAW

Tie between #3x#3 and #7x#7 rebar

2 ENCLOSED DESIGN

Greater protection against debris and moisture entering the tool

3 SLIM ARM

A thinner arm fits easily at a 45° angle for tight ties.

4 BELT HOOK

Hang the tool from your belt while not in use.

5 MORE TIES PER CHARGE

Lower power consumption per tie allows the TwinTier to produce approximately 4000 ties per charge

6 QUICKLY & EASILY LOAD TIE WIRE

Rapidly load the dual wire coil with new quick load magazine design

7 EASY PUSH GEAR RELEASE

Effortlessly open gears to quickly feed wire when loading the wire

MULTIPLE REBAR COMBINATIONS




3 Bars (Ties up to)
#8 Plus #4 x #4
#7 plus #5 x #5



4 Bars (Ties up to)
#5 x #5 plus #4 x #4

WIRE BENDING MECHANISM
50% shorter tie



APPLICATIONS

Commercial Building, Foundations, Road Construction, Bridges, Precast Plants, Radiant Heating Tubes, Electrical Conduits, Tilt-up Construction, Pools, Basements, Sand Bags

MAX
MAX USA CORP.

257 East 2nd Street, Mineola, NY 11501
Phone: 800.223.4293 fax: 516.741.3272
www.maxusacorp.com

f t i y

DEALER: **ADAM'S** Tarp & Tool

Duncan (250) 748-0108
Chemainus (250) 324-4382
Campbell River (250) 914-8820
www.AdamsTarpnTool.com