


Abrasive paper, self-fastening (Hook & Loop)

# PS 77 CK T-ACT



## Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Semi-open
Backing	C-paper

## Product benefit

New high-performance disc with optimized clogging behaviour - Increased service life due to the new coating, which prevents the adhesion of paint and dust particles - For aggressive grinding at high loads, a flexible and tear-resistant C-latex paper is used in the grit range 60-220

## Application

Paint/Varnish/Filler	●
Primer	●
Filler	●
Gel coats	●
Composite materials	●
Plastic	○

## Applications

- ▶ Automotive industry
- ▶ Boat and shipbuilding
- ▶ Wind energy industry
- ▶ Furniture industry

### Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter	grain	Hole pattern	type of coat.abras.	Article number
5	60	○ 0	PS 77 CK	353219
5	80	○ 0	PS 77 CK	353224

### Klingspor Schleifsysteme GmbH und Co. KG

Hüttenstraße 36 - 35708 Haiger - Germany  
 Fon + 49 (0) 2773 922-0 Fax + 49 (0) 2773 922-186  
 sales@klingspor.de - www.klingspor.de



Diameter	grain	Hole pattern	type of coat.abras.	Article number
5	100	○ 0	PS 77 CK	353221
5	120	○ 0	PS 77 CK	353223
5	150	○ 0	PS 77 CK	353225
5	180	○ 0	PS 77 CK	353222
5	220	○ 0	PS 77 CK	353218
5	60	⊗ GLS 5	PS 77 CK	353217
5	80	⊗ GLS 5	PS 77 CK	353216
5	100	⊗ GLS 5	PS 77 CK	353215
5	120	⊗ GLS 5	PS 77 CK	353214
5	150	⊗ GLS 5	PS 77 CK	353213
5	180	⊗ GLS 5	PS 77 CK	353212
5	220	⊗ GLS 5	PS 77 CK	353209
5	60	⊗ GLS 27	PS 77 CK	353220
5	80	⊗ GLS 27	PS 77 CK	353235
5	100	⊗ GLS 27	PS 77 CK	353234
5	120	⊗ GLS 27	PS 77 CK	353233
5	150	⊗ GLS 27	PS 77 CK	353232
5	180	⊗ GLS 27	PS 77 CK	353231
5	220	⊗ GLS 27	PS 77 CK	353211
6	60	○ 0	PS 77 CK	353208
6	80	○ 0	PS 77 CK	353207
6	100	○ 0	PS 77 CK	353210
6	120	○ 0	PS 77 CK	353206
6	150	○ 0	PS 77 CK	353205
6	180	○ 0	PS 77 CK	353204
6	220	○ 0	PS 77 CK	353203
6	60	⊗ GLS 1	PS 77 CK	353202
6	80	⊗ GLS 1	PS 77 CK	353201
6	100	⊗ GLS 1	PS 77 CK	353200
6	120	⊗ GLS 1	PS 77 CK	353199
6	150	⊗ GLS 1	PS 77 CK	353198
6	180	⊗ GLS 1	PS 77 CK	353197
6	220	⊗ GLS 1	PS 77 CK	353196
6	60	⊗ GLS 3	PS 77 CK	353195

**Klingspor Schleifsysteme GmbH und Co. KG**

Hüttenstraße 36 - 35708 Haiger - Germany

Fon + 49 (0) 2773 922-0 Fax + 49 (0) 2773 922-186

sales@klingspor.de - www.klingspor.de



Diameter	grain	Hole pattern	type of coat.abras.	Article number
6	80	⊙ GLS 3	PS 77 CK	353194
6	100	⊙ GLS 3	PS 77 CK	353193
6	120	⊙ GLS 3	PS 77 CK	353192
6	150	⊙ GLS 3	PS 77 CK	353191
6	180	⊙ GLS 3	PS 77 CK	353190
6	220	⊙ GLS 3	PS 77 CK	353189
6	60	⊙ GLS 47	PS 77 CK	353188
6	80	⊙ GLS 47	PS 77 CK	353187
6	100	⊙ GLS 47	PS 77 CK	353186
6	120	⊙ GLS 47	PS 77 CK	353185
6	150	⊙ GLS 47	PS 77 CK	353182
6	180	⊙ GLS 47	PS 77 CK	353181
6	220	⊙ GLS 47	PS 77 CK	353180
6	80	⊙ GLS 51	PS 77 CK	353184
6	100	⊙ GLS 51	PS 77 CK	353179
6	120	⊙ GLS 51	PS 77 CK	353183
6	180	⊙ GLS 51	PS 77 CK	353178
6	60	⊙ GLS 74	PS 77 CK	359067
6	80	⊙ GLS 74	PS 77 CK	357271
6	100	⊙ GLS 74	PS 77 CK	359066
6	120	⊙ GLS 74	PS 77 CK	359065
6	150	⊙ GLS 74	PS 77 CK	357276
6	180	⊙ GLS 74	PS 77 CK	359064
6	220	⊙ GLS 74	PS 77 CK	355018

**Klingspor Schleifsysteme GmbH und Co. KG**

Hüttenstraße 36 - 35708 Haiger - Germany

Fon + 49 (0) 2773 922-0 Fax + 49 (0) 2773 922-186

sales@klingspor.de - www.klingspor.de

