

ACCESSORIES



M18 FUEL™ 10" Telescoping Pole Saw Guide Bar
49-16-2760



M18 FUEL™ 10" Telescoping Pole Saw Chain
49-16-2759

M18 FUEL™ CUTTING SOLUTIONS



M18 FUEL™ 16" Chainsaw Kit
2727-21HD



M18 FUEL™ 14" Top Handle Chainsaw Kit
2826-21T



M18 FUEL™ HATCHET™ 8" Pruning Saw (Tool-Only)
3004-20



M18
PERFORMANCE DRIVEN
TRADE FOCUSED
SYSTEM WIDE

NEW

Milwaukee[®]

M18 FUEL[™]

DRIVEN TO OUTPERFORM.[™]



**MOST
POWERFUL**

**FASTEST
CUTTING**

**NO GAS
HEADACHES**

**Telescoping
Pole Saw**

3013-21, 3013-20

REDLITHIUM[™]
HIGH OUTPUT™ HD12.0



DRIVEN TO OUTPERFORM.™

M18 FUEL™ is engineered for the most demanding tradesmen in the world. Delivering unrivaled performance in a compact structure, all M18 FUEL™ products feature three MILWAUKEE® exclusive innovations — the POWERSTATE™ Brushless Motor, REDLITHIUM™ Battery Pack and REDLINK PLUS™ Intelligence Hardware and Software — that deliver unmatched power, run-time and durability. Simply put, the M18 FUEL™ Telescoping Pole Saw exceeds the performance and durability needs of the arborists and power utility linemen without the headaches of gas.

M18 FUEL

3 REDLITHIUM™ HIGH OUTPUT™ HD12.0 BATTERY PACK




1 POWERSTATE™ BRUSHLESS MOTOR

2 REDLINK PLUS™ INTELLIGENCE




MOST POWERFUL



- Maintain chain speed under heavy load without bogging down

FASTEST CUTTING



- Highest chain speed in class provides cleaner, more consistent cuts

NO GAS HEADACHES

EASE OF USE

- NO PULL START
- NO ENGINE MAINTENANCE
- NO EMISSIONS
- LOW NOISE
- NO MIXING GAS AND OIL

- Immediate throttle response eliminates cumbersome pull starts
- No gas emissions prevents exposure to toxic fumes
- Eliminated gas engine maintenance allows for more uptime increasing productivity



COMPACT POWER HEAD

Fits in 6" vehicle storage tube

ERGONOMIC ADJUSTMENT COLLAR

Optimized grip with overmold, quick, secure adjustments to telescoping shaft length

Quickly adjust telescoping length from 9' – 13'



SIGHT LINE

Increased visibility and control



ON-BOARD SCRENCH STORAGE

Quick adjustments to bar and chain

OPTIMIZED SHAFT DESIGN

Increased comfort and control

MAGNESIUM CUTTING HEAD

Lightweight for improved balance

SPECIFICATIONS AND MODELS

DESCRIPTION	SPECIFICATIONS
Chain Speed	25.4 m/s
RPM	0 – 13,500
Peak Power	1,750 W / 2.35 HP
Peak Torque	1.9 Nm
Max Outer Diameter	6"
Chain Gauge	0.043"
Chain Pitch	0.325" Low Profile™
Bar Length	10"
Trigger	Variable Speed
Length	9' – 13' (108" – 156")
Weight w/ Battery	19.4 lbs



M18 FUEL™ Telescoping Pole Saw Kit 3013-21

Includes: Telescoping Pole Saw, (1) M18™ REDLITHIUM™ HIGH OUTPUT™ HD12.0 Battery Pack, M18™ & M12™ Rapid Charger, 10" Telescoping Pole Saw Guide Bar, 10" Telescoping Saw Chain, Scrench and Shoulder Strap.

Bar & Chain Oil Sold Separately.



M18 FUEL™ Telescoping Pole Saw 3013-20

Includes: Telescoping Pole Saw, 10" Telescoping Pole Saw Guide Bar, 10" Telescoping Saw Chain, Scrench and Shoulder Strap.

Bar & Chain Oil Sold Separately. Battery and Charger Not Included.

